This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- 1. 4. (Canceled)
- 5. (Previously Presented) A method of treating allergic disorders, asthma, chronic bronchitis, atopic dermatitis, psoriasis, inflammatory disorders, autoimmune diseases, osteoporosis, transplant rejection reactions, cachexia, tumor growth, tumor metastases, sepsis, or atherosclerosis comprising administering, to a host in need thereof, an effective amount of a compound of formula I

in which

R<sup>1</sup> is H, A, benzyl, indan-5-yl, 1,2,3,4-tetrahydronaphthalen-5-yl, dibenzothien-2-yl, or phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, A-CO-NH, benzyloxy, alkoxy, COOH or COOA,

R<sup>2</sup> is H or A.

X is O or S.

Hal is F. Cl. Br or I.

A is alkyl with 1 to 6 C atoms,

or a physiologically acceptable salt or solvate thereof.

- (Previously Presented) A method according to claim 5, wherein the autoimmune disorder is rheumatoid arthritis, multiple sclerosis, Crohn's disease, diabetes mellitus, ulcerative colitis or AIDS
- (Previously Presented) A method according to claim 5, wherein the compound of formula I is
- 1-Phenyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Benzyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Cyclohexyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Cyclopentyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Butyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Isopropyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Propyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Ethyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Methyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- [1]Benzopyrano[3,4-d]imidazol-4-(1H)-one,
- $2\hbox{-}Methyl\hbox{-}[1] benzopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-Phenyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Benzyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Cyclohexyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1- Cyclopentyl- [1] benzothiopyrano [3,4-d] imidazol-4- (1H)- one,
- $1\hbox{-Butyl-} [1] benzothiopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-} Isopropyl\hbox{-}[1] benzothiopyrano \hbox{[}3,4\hbox{-}d\hbox{]} imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-} Propyl\hbox{-}[1] benzothiopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-Ethyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Methyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- [1]Benzothiopyrano[3,4-d]imidazol-4-(1H)-one,

- 2-Methyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2-Chlorophenyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(4-Methyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(4-Fluorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2,4-Dimethyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(3-Chlorophenyl)-[1]benzopyrano[3,4-d]imidazo1-4-(1H)-one,
- $1\hbox{-}(2,4\hbox{-}Dichlor ophenyl)\hbox{-}[1] benzopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-}(2,5\hbox{-Dichlorophenyl})\hbox{-}[1] benzopyrano [3,4\hbox{-d}] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-(4-Acetamido-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2-Fluorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(3-Fluorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2-Benzyloxy-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- $1\hbox{-}(2,\!6\hbox{-Dimethyl-phenyl})\hbox{-}[1] benzopyrano [3,\!4\hbox{-d}] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-(Indan-5-yl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2-Methoxy-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2,3-Dimethyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-(1H)-4-one,
- $1\hbox{-}(2,3\hbox{-}Dichlorophenyl)\hbox{-}[1] benzopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-}(3\hbox{-}Chloro\hbox{-}4\hbox{-}methyl\hbox{-}phenyl)\hbox{-}[1] benzopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-}(2,5\hbox{-}Dimethyl\hbox{-}phenyl)\hbox{-}[1] benzopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-(4-Chlorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- $1\hbox{-}(1,2,3,4\hbox{-}Tetrahydronaphthalen-5-yl})\hbox{-}[1] benzopyrano\hbox{-}[3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-}(Dibenzothien-2\hbox{-}yl)\hbox{-}[1] benzopyrano[3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-(3-Methoxy-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one, or
- $1\hbox{-}(4\hbox{-}Carboxy\hbox{-}2\hbox{-}methyl\hbox{-}phenyl)\hbox{-}[1] benzopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one.$
- (Previously Presented) A method according to claim 6, wherein the compound of formula I is

- 1-Phenyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Benzyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Cyclohexyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Cyclopentyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Butyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Isopropyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Propyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Ethyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Methyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- [1]Benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 2-Methyl-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Phenyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Benzyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Cyclohexyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Cyclopentyl-[1]benzothiopyrano[3.4-d]imidazol-4-(1H)-one.
- $1\hbox{-Butyl-} [1] benzothiopyrano [3,4\hbox{-d}] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-} Isopropyl\hbox{-}[1] benzothiopyrano \hbox{[}3,4\hbox{-}d\hbox{]} imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-Propyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-Ethyl-[1]benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- $1\hbox{-}Methyl\hbox{-}[1] benzothiopyrano \hbox{[}3,4\hbox{-}d\hbox{]} imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- [1]Benzothiopyrano[3,4-d]imidazol-4-(1H)-one,
- $2\hbox{-}Methyl\hbox{-} \hbox{\small [1]} benzothiopyrano \hbox{\small [3,4-d]} imidazol\hbox{\small -4-(1H)-one,}\\$
- $1\hbox{-}(2\hbox{-}Chlorophenyl\hbox{-}[1]benzopyrano [3,4\hbox{-}d]imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- $1\hbox{-}(4\hbox{-}Methyl\hbox{-}phenyl)\hbox{-}[1] benzopyrano [3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$
- 1-(4-Fluorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2,4-Dimethyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(3-Chlorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- $1\hbox{-}(2,4\hbox{-}Dichlorophenyl)\hbox{-}[1] benzopyrano[3,4\hbox{-}d] imidazol\hbox{-}4\hbox{-}(1H)\hbox{-}one,$

- 1-(2,5-Dichlorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(4-Acetamido-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2-Fluorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(3-Fluorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2-Benzyloxy-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2,6-Dimethyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(Indan-5-yl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2-Methoxy-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2,3-Dimethyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-(1H)-4-one,
- 1-(2.3-Dichlorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one.
- 1-(3-Chloro-4-methyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(2,5-Dimethyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(4-Chlorophenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one,
- 1-(1,2,3,4-Tetrahydronaphthalen-5-vI)-[1]benzopyrano-[3,4-d]imidazol-4-(1H)-one.
- 1-(Dibenzothien-2-vI)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one.
- 1-(3-Methoxy-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one, or
- 1-(4-Carboxy-2-methyl-phenyl)-[1]benzopyrano[3,4-d]imidazol-4-(1H)-one.

## (Canceled)